

Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at http://about.jstor.org/participate-jstor/individuals/early-journal-content.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

Extracts of two Letters from Mr, Martin Lister to the Publisher, of June 14.1671. and July 5.1671. concerning the kind of Infect, hatched of the English Kermes, formerly taken notice of and described by the same in Numb. 71. p.2164; as also the Vie of these Purple Insect: Husks for tinging, together with a comparison made of this English Purple Kermes with the Scarlet-Kermes

of the Shops.

He first Letter, June 10th. I found several of the Patelle Kermi formes hatched in a Box, where I had purposely put them. They prove a fort, as I guessed by the figure of the Worm, of Bees, but certainly the least, that I ever yet saw of that Tribe, as not much exceeding in their whole bulk the half of a Pilmire. They are very compact and thick for the bignels; of a cole-black colour. They feem to want neither stings, nor the three balls in a triangle in their fore-head; which yet are thingsto be referred to the testimony of a Microscope. That which is very remarkable to the naked Eye, is a white or straw. colour large and round spot on the back: Of their four Wings the upper pair are shaded or dark spotted, the undermost pair are clear. We may entitle them, according to our custom, Apiculæ nigræ macula super humeros sub-flavescente insignitæ, è patellis sive favis membranaceis, veri Kermes similibus, suaque itidem purpurâ tingentibus, Cerasi aut Rosa aliarumve arborum virgis adtextis, exclusæ.

This of the Purple-Husks, and the other History of Scarletstaining Eggs * I present you as parallels of our *Of which latter. Engl sh store to Kermes and Cocheneil; I mean, See Numb. 72. p.2176.2177. additaments to encrease the number of agreeable tinging Materials and not Medicaments, unless wary and fafe Tryal shall discover to us if they have any Medicinal qualities, as use and custom hath made us believe the Exotic have in an high degree. One of the faid husks, I fent you, adhered to a Rose-tree-twig, and the other to a Cherry-tree. Rose-bush fince hath afforded me some scores of these patella, many of which are hatched in the box I put them. It is to be further observed, 1. that those that look the blackest, yield the deepest and best purple: 2. That as the Bees come to maturity, the dye feems to be spent, and the Husks grow dry. 3. That

the young ones make their way out at several small holes; whereas the true Kermes husk seems to be pierced but in one

place.

The Second; The discovery of our English Kermes hath ye. ry much pleased some of the Curious in these parts; who refolve upon Tryals of it the next feafon. I think, I advertised you formerly, that that deep purple or violet, with which the infides of the husks are lin'd, is much spent, if the husks be not taken whilest the Bees are in vermiculo; and the blackest husks are richest in colour. Yesterday in very good company we compar'd our English Purple kermes with the Scarlet kermes or Grains of the Shops, and found them in every point to agree fave in the colour of their Juices; and particularly (finding in some parcels of the Shops many yet sticking to little twigs of the Ilex,) we confidently affirm, that those as well as ours are only contiguous to the Ilex-branches, and are not excrescencies of the Tree, much less fruit or berries; by which abusive names they have been too long known; But that they are the artifice and fole work of the mother-Bee in order to the more convenient hiving and nourishment of her young.

An Extract of a Letter, written to the Publisher by the Excellent Johannes Hevelius, concerning his further Observations of the New Star near the Beak of the Swan; to be compared with what was formerly published of the same Argument in Numb. 65, and Numb. 66.

This Extract we shall give you in the same Language it was

written from Dantzick the 1th of May 1671. st. n.

E reliquo mearum etiam partium esse duxi, Vobis quantocyus significare, me nudius: tertius, die videl. 29. April. Novam illam Stellam sub capite Cygni, ad Viam Lasteam, quam Anno proxime præterito à mense Junio & Julio, ad usque 14.0 & ob. conspexeram, denuo observasse, & quidem eo ipso loco, quo tuno temperis consistebat. Interim magnitudine mihi nunc aliquanto major apparet; quippe excedit illam in Rossio Cygni, nec non eam quæ est in ancone inferioris alæ Cygni, se eque illi quæ est in Pectore Eygni æquatur, nist quod lumine paulo obsusiori & rubicundiori modò suceat. Qua verò die trimum rursus illuxerit, affirmare adeò certò non possum. Nam